


SODIUM SULPHATE

PRODUCT IDENTIFICATION

CAS NO. 7757-82-6 (Anhydrous)
7727-73-3 (Decahydrate)
EINECS NO. 231-820-9
FORMULA Na_2SO_4
MOL WT. 142.04
H.S. CODE 2833.11



TOXICITY
SYNONYMS Disodium monosulfate; Sulfuric acid, Sodium salt;
Disodium sulfate; Sodium sulfate; Sulfuric acid, sodium salt; Sulfuric acid, Disodium salt; Sulfuric acid disodium salt; Salt cake; Bisodium sulfate; Sodium sulfate (2:1); Thenardite; Natriumsulfat; Trona;

DERIVATION CLASSIFICATION

PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE Hygroscopic white powder, Odorless
MELTING POINT 880 - 888 C
BOILING POINT 1100 C (Decomposes)
SPECIFIC GRAVITY 2.66 - 2.75
SOLUBILITY IN WATER Soluble
pH Aqueous solution is neutral
VAPOR DENSITY
AUTOIGNITION
NFPA RATINGS Health: 1; Flammability: 0; Reactivity: 0
REFRACTIVE INDEX
FLASH POINT
STABILITY Stable under ordinary conditions

GENERAL DESCRIPTION & APPLICATIONS

Sodium sulfate is a white, orthorhombic crystalline solid at room temperatures (a monoclinic structure at > 100 C, a hexagonal structure at > 250C). It is reduced to sodium sulfide at high temperature. But sodium sulfate is a stable compound which does not decompose and does not react with oxidising or reducing agents at normal temperatures. It is neutral (pH of 7) in water. Sodium sulfate is most soluble in water at 32.4 C (49.7g/100 g). Commercial major source of sodium sulfate is salt cake (impure sodium sulfate), a by-product of hydrochloric acid production from sodium chloride by treatment with sulfuric acid. Sodium sulfate is obtained also as a byproduct of rayon production and sodium dichromate production. The decahydrate is known as Glauber's salt. About half of the world's production is from the natural mineral form of the decahydrate (mirabilite). Anhydrous sodium sulfate is found in nature as the mineral thenardite (Na_2SO_4). Other sodium sulfate minerals are metasideronatrite $\text{Na}_4\text{Fe}_2(\text{SO}_4)_4(\text{OH})_2 \cdot 13\text{H}_2\text{O}$, krohnkite $\text{Na}_2\text{Cu}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$, and schairerite $\text{Na}_3(\text{SO}_4)(\text{F},\text{Cl})$. Sodium sulfate is consumed in four major categories; powder detergents as a processing aid and as a filler, wood pulp processing for making kraft paper, textile dyeing processes as a levelling agent to penetrate evenly, and molten glass process to remove small air bubbles. Sodium sulfate is employed also as a raw material for the production of various chemicals.

SALES SPECIFICATION

APPEARANCE white powder

Na ₂ SO ₄	99.0% min
WATER INSOLUBLES	0.05% max
Mg	0.15% max
Cl	0.35% max
Fe	0.002% max
pH	Neutral to slightly alkaline
MOISTURE	0.2% max
WHITENESS	80% min
PARTICLE SIZE	50% (100 mesh)
TRANSPORTATION	
PACKING	25kgs, 50kgs, 1mt in Bag
HAZARD CLASS	Not regulated
UN NO.	
OTHER INFORMATION	
<p>Sulfate (also spelled sulphate in Europe) is any chemical compound containing the SO₄²⁻ ion related to sulfuric acid (H₂SO₄). Sulfates are salts or esters of sulfuric acid, formed by replacing one or both of the hydrogens with a metal or a radical as in sodium sulfate, Na₂SO₄. Sulfates in which both hydrogens are replaced are called normal sulfates. Bisulfate is a compound that has the HSO₄⁻ radical. Bisulfate (called also hydrogen sulfate or acid sulfate) is a compound formed by replacing only one hydrogen in sulfuric acid. Sulfite (also sulphite) is a compound that contain the sulfite ion SO₃²⁻. Sulfites are salts or esters of sulfurous acid (H₂SO₃), formed by replacing one or both of the hydrogens with a metal or a radical as in sodium sulfite, Na₂SO₃. Sulfites in which both hydrogens are replaced are called normal sulfites. Bisulfite is a compound that has the HSO₃⁻ radical. Bisulfite (called also hydrogen sulfite or acid sulfite) is a compound formed by replacing only one hydrogen in sulfurous acid. The term of 'meta' or 'pyro' is the chemical prefix for oxo acid formed through the loss of one water molecule (dehydration) from two molecules of ortho acid by heating. Pyrosulfuric acid is an example (2H₂SO₄ - H₂O = H₂S₂O₇). Ortho acid is the compound fully hydrated acid or its salts. Orthophosphoric acid is an example (2·H₃PO₄ = P₂O₅·3H₂O), in contrast to the less hydrated form, pyrophosphoric acid (2·HPO₃ = P₂O₅·H₂O). Na₂O₅S₂ is called sodium metabisulfite (2·HNaO₃S - H₂O). Sulfide is a compound having one or more sulfur atoms in which the sulfur is connected directly to a carbon, metal, or other nonoxygen atom; for example sodium sulfide, Na₂S. Sulfide ion is S²⁻ with oxidation number -2. Bisulfide ion is an anion formed by two sulfur atoms having an overall -2 charge, (S₂)²⁻. Sulfamate is a salt of sulfamic acid (HSO₃NH₂). Calcium sulfamate Ca(SO₃NH₂)₂ is an example.</p>	